

G01 Druckplatten G02 Biegevorrichtungen G03 Abschervorrichtungen G04 Exzentrische Spannzeuge G05 Scherenspannzeuge G06 Schraubspannköpfe G07 Bänderspannzeuge G08 Keilspannzeuge G09 Schulterprobenspannzeuge G10 Gewindeprobenspannzeuge G11 Seilspannzeuge G12 Pneumatische Spannzeuge G13 Hydraulische Spannzeuge G14 Abzugsvorrichtungen G15 Käfige G16 Nach DIN ASTM G17 Adapter G18 Zubehör G19 Sonderbacken G20 Rest G21 Temperaturkammern G22 Drehmomentprüfvorrichtungen G23 Durchstoßvorrichtungen G25 Stanzvorrichtungen und Pressen	G01 Compression Platens G02 Bending Grips G03 Shear Grips G04 Eccentric Roller Grips G05 Pincer Grips G06 Vise Grips G07 Ribbon Grips G08 Wedge Grips G09 Button Head Grips G10 Thread Head Grips G11 Rope Grips G12 Pneumatic Grips G13 Hydraulic Grips G14 Peeling Grips G15 Compression Cages G16 conform to DIN, ASTM G17 Adapters G18 Special Accessories G19 Special Jaws G20 Special Solutions G21 Temperature Chambers G22 Torque testers G23 Puncture fixtures G25 Cutters and Presses
--	--

G01 – Compression platens / Druckplatten



[TH23-56-Af40-St](#)




[TH23-156-St](#)



THS233k-56
Self alignment




TH233k-156-15.9



[TH36_rectangular](#)




[TH36T-250-Alu](#)



[TH36T-380x400-St](#)



[TH36t-250-159-Rtt](#)



THS235-20-Af20



[TH141](#)



[THS42-D5](#)



[THS42-D40](#)



THS402



TH121



[THS613](#)



THS813 ASTM-D695



EN14279



[TH4220](#)



[THS747](#)



THS523-cork



[THS757](#)
[ASTM D395](#)



TH86-150x220-St



[TH141-400x600](#)
[With guide](#)

[G02 – Bending grips / Biegevorrichtungen](#)



THS837-R0.5



THS41



[THS794](#)



[TH238](#)



[TH238XW](#)



[TH238-AX-D6x100](#)



[TH238-4P-...F5x180](#)



[TH238-300-4PX](#)



[TH238-WEF10x120](#)



[TH238-430-C1.5H130](#)



[TH238-WDF-CWX-Af60](#)



[TH103](#)



[TH103X](#)



[TH103-4P](#)



[TH103-TK](#)



[TH103-B220-AX50-SL](#)




[TH103-FV-S24](#)



[TH22-360](#)



[TH22-360-4P](#)



[TH22-430-5P-CM glas](#)



[TH22-800St](#)



[TH22St-700-4P+CXD30x150](#)



[TH22St-220-CR15](#)



[TH22St-360-Af60-H125-QFR125](#)



[TH22St-360-Af60-5P](#)



[TH22St-275-4P Ni](#)



[TH22-1000-4P-400-20](#)



[TH22-WNJ30xR3 biax](#)




[TH22-1310](#)



[THS956](#)



[TH165](#)



[TH260-100](#)



[THS260](#)



[TH260-115-V3](#)



[TH260-115-V5](#)



[TH260-115-360](#)



[THS260-600-FV2](#)



[THS651](#)



[THS828 concrete](#)




[THS953 ASTM-A720](#)



[THS318-100-120](#)



[THS318-600-B120](#)



[THS318-600-B120](#)



[THS543](#)



[THS884-EN2562](#)



[THS717-30-D50](#)



[THS580](#)



[THS771](#)



[THS564-B400-W420](#)



[THS535-4500 mm](#)



[THS139](#)



[THS124 Glas](#)

G03 – Shear grips / AbschervorrichtungenTH17TH193THS600THS740THS633-150THS818THS788-M16-
ASTMF1044THS450 EN1324THS396 UNE-7-246-74THS816-01+02THS799-70-10B3X3
KramerTHS799-120-9B5X7
KramerTHS146 meatTHS1058THS890-120THS712G04 – Eccentric roller / exzentrische RollenspannzeugeTH7-1TH7-1+KuTH7-10THS766THS766-40G05 – Pincer grips / Scherenspannzeuge



[THS341](#)



[THS341-15-6-2F](#)



[THS205k](#)



[THS205k-BP20-S](#)



[THS466-H1-M4](#)



[THS470](#)



[THS501](#)



[THS501](#)



[THS807](#)



[TH230](#)



[TH11-5](#)



[TH11-20](#)



[TH11-50](#)



[TH11-75](#)



[TH124](#)

G06 – Vice grips / Schraubspannköpfe[TH227](#)[TH140](#)[TH9](#)[TH240k](#)[TH240k-S20](#)[TH240k-S30+Gt+EBP-Ni](#)[TH240k-S50](#)[TH240g](#)[TH240g-S50](#)[TH240g-S50-Ni](#)[TH240g-S100](#)[TH56k](#)[TH56g](#)[TH56g-H200](#)[THS90](#)[TH154](#)[TH154](#)[TH154-S100](#)[TH154-S100-B40x250](#)[THS90](#)[THS90-S70](#)[THS90-BP210-ni](#)[THS348-6x40](#)[THS355](#)[THS668](#)[THS668-300-A90](#)[THS28-S8](#)[THS28-S11](#)[THS170-1-2](#)[THS684](#)

[G07 – Ribbon grips / Bänderspannzeuge](#)



[TH252](#)



[TH222-30-80](#)



[THS375-5](#)



[THS375-5+Ko](#)



[TH221](#)



[TH172-20](#)



[TH172-P](#)



[THS806](#)



[TH252-100](#)



[THS820](#)

G08 – Wedge grips / Keilspannzeuge



THS827



[THS7](#)



[TH256](#)



[THS622](#)



[TH243-20](#)



[TH527-20](#)




[THS527-20-Ni](#)



[THS427 50kN radiation chamber](#)



[TH243-50-Af36](#)



[TH204](#)



[THS527-50](#)



[THS527-50-B125](#)



[TH224](#)



[TH185](#)



[THS527-100](#)



[TH109-100](#)



[TH527](#)



[TH109](#)



[TH109](#)



[TH109-250+Ko](#)



[TH109-250k](#)



THS127



[THS140](#)



THS527-250+Ko



[TH208](#)



[THS45 100](#)



[THS321-10-T425°C](#)



[THS321 50](#)



THS889-5



THS889-A650

G09 – Button head grips / Schulterprobenspannzeuge[TH231-M3-M4-M5](#)[THS353-20-8-15.9](#)[TH16-50+EK](#)[THS717-10](#)[THS43-D20-R10 R19
D38](#)[TH89-318-8](#)[TH4-318-40+E5R1](#)[THS885](#)[THS565-60+EK8R1.5](#)[THS727-80](#)[THS765-60+E8](#)[THS765-o_open](#)[THS314-E-S21](#)[THS314-R](#)[THS325](#)[TH235-20](#)[THS43](#)[THS474-ASTMC307](#)[THS474](#)[THS786 ISO898](#)G10 – Thread head grips / Gewindeprobenspannzeuge[TH179](#)

G11 – Rope grips / Seilspannzeuge



TH76-1



TH76-1-Ko



TH76-1-150-BD



TH76-5



TH76-5-Ko



TH76-20



TH76-20-Ko



TH9



TH9-Ko



TH9-2Ko



THS185-20
20



THS185-50



THS887



THS13



THS255



TH170-50



TH170-100



TH170-150 hydraulic
rope grip



TH170-250-Ko



THS463-2



THS689

G12 – Pneumatic grips / pneumatische Spannzeuge

THS341-Ko

[TH140k+2Ko](#)[TH94](#)[THS501](#)[TH229](#)[TH56k+Ko](#)[TH56k+2Ko](#)[TH240k+Ko](#)[TH240k+2Ko](#)[TH56g+Ko](#)[TH56g+2Ko](#)[TH56g-H200](#)[TH240g+Ko](#)[TH108](#)[TH240g+2Ko](#)[TH149](#)[THS22](#)[TH83](#)[TH83+BW200](#)[THS65](#)[TH175-10](#)[THS321-10 350°C](#)[TH232](#)[TH232-2Ko](#)[TH175-20](#)[TH126](#)[TH175-100](#)[TH175](#)[TH175](#)[THS370-220](#)

THS889



THS889-7K 500 mm

[THS321-100-Pn 350°C](#)[THS527-250+Ko](#)



[TH205-1](#)



TH205-4 1/8" or M5



[TH216 16 bar](#)



[THS132](#)



THS889-5



THS889-A650

[G13 – Hydraulic grips / hydraulische Spannzeuge](#)



[TH135-60](#)



[TH135-2Ko](#)



[THS872](#)



[TH135-180](#)



[THS911](#)



[THS4](#)



[THS4](#)




[THS681](#)



[TH186-296
600](#)



[TH186-346](#)



[TH186-346](#)



[THS82](#)



[THS137](#)



[THS137](#)



[THS508](#)



[THS321](#)



TH188



[TH186-BV48](#)



[THS321-250](#)



[THS321-100-Hy](#)



[THS480](#)



THS911-S23



THS900

[G14 – Peeling grips / Abzugsvorrichtungen](#)



[TH105-25-30](#)



[TH192-50](#)



[TH192-25-2-200](#)



[TH177-25](#)



[TH3-90](#)



THS891



[TH104-60](#)



[TH115-100](#)



[TH104-130](#)



[THS695](#)



[TH49-10](#)



[TH50](#)



[TH50+SW1](#)



[TH50-W130](#)



[TH50-W130+SW1](#)



[TH95-DIN53531](#)



[TH95-ISO813](#)

G15 – Compression cages / Zugkäfige[TH42-200x200](#)[TH42-100-50-E](#)[TH72-S22](#)[THS72-87](#)[TH42-140-220](#)G16 – conform to DIN, ASTM / Vorrichtungen nach DIN, ASTM[TH44-2](#)[TH4060](#)[TH113-50](#)[TH113-E508-2](#)
[2" size](#)

THS779 finch DIN53112

[THS265-CW6x33](#)[THS265-CH6x33 ISO](#)[THS722-ASTM7078](#)[THS705-2 ASTM-D6641](#)[TH95-10 ISO813](#)[THS474-ASTM-C307](#)THS87-25-DIN54516
ASTM-D1062[THS818-compression](#)

THS793-ASTM-D695

[THS815](#)
[ASTM-D6617](#)THS757-60-ASTM-
D395-03[TH62-F / -M](#)[TH62-20-ASTM-D5458](#)[TH62-30](#)[TH62-40-ISO21182](#)

[THS174-150-50Hko](#)

THS145-UNI8279



THS913-ASTM-C1404



THS788-36 ASTM-F1044



THS717-20-1 GOS4651



THS884-EN2562



THS922 4Z-ASTM-D2105



THS712-ASTM-D732



THS706-ASTM-D2229

[THS853-20-DIN53362](#)[THS625-1-DIN-EN582](#)[G17 – Adapters \(Adapter Absteckstifte\)](#)[TH187-158-M-20 male thread female](#)

THS988-50-80

[THS220-158-M12 male female thread](#)[THS637-159-Km8](#)[THS438-158-M6](#)[THS464-158-M12 male-male thread](#)[THS486-159-M6 thread](#)[THS626-318-318](#)[THS628-158-40xKm8](#)[THS646-159-40x8 female-flange](#)[THS531-318-318](#)

THS52-158-159-L500



THS481-158-159-L80



THS658 male thread - female thread



TH3

[THS327-158-159](#)[THS317-158-159](#)[THS91](#)[THS572](#)



[TH239](#)



[THS626-158-30A](#)



THS481-159-20-L100



[THS892 female - male](#)



THS191 MPA



THS886-10



THS914-AHC



THS988-Am158-8x40x4a

[G18 – Special Accessories / spezielle Vorrichtungen](#)



[TH24](#)



[TH24](#)



[TH2570-RF](#)




[THS519-3-20-Anschlag](#)




THS648-250x180x400

[G19 - Special jaws / Sonderbacken und Ersatzteile für alte Spannköpfe](#)



[THS714-BP](#)



[THS787-60-BP](#)



[THS758-BP](#)



[THS769-BV](#)



[THS724-BV](#)




[THS787-BV](#)



[THS768-BD diamond](#)



[THS22-BN needle](#)



[THS762-BV](#)



[THS526-BW](#)



[THS783-20](#)




[THS774-BV22](#)



[THS583](#)



[THS632-50-GT](#)



[diamonds in rubber](#)

G21 – Temperature chambers / Temperaturkammern



[TH2700 standard](#)



[TK75-EK-2](#)



[TK62-4 windows](#)



[TK57](#)



[TK45](#)



[TK21](#)



[TK56](#)



[TK71](#)



[TK43](#)



[TK72.3](#)



[TK149](#)



[TK108](#)

G22 torque fixtures / zur Prüfung von Drehmomenten



[THS472g](#)



[THS472k](#)




[THS472-4](#)



[THS472-A](#)



[THS472-W-SW5+
B500-40x70](#)



[THS493-40](#)



[THS543-280](#)



[THS476-10](#)



[THS1017](#)

G23 Puncture fixtures / Durchstoßvorrichtungen



[THS174](#)



[THS145](#)



[THS1620](#)



[THS511](#)



[THS453](#)



[THS525](#)



[THS581](#)



[THS805](#)



[THS460](#)



[THS653](#)

G25 Cutters and Presses / Stanzwerkzeuge



[THS265-P8](#)



[THS265-CW6x33](#)



[THS265-CH6x33](#)



[THS265-CSS12p5x75](#)

G40 special Machines



TH4060
Friction Tester



TH3660
Tape Jig

25.10.2016OI

S.I. Instruments
256 South Rd. Hilton South Australia 5033
Ph (08) 8352 5511
info@si-instruments.com.au
www.si-instruments.com.au